

체온측정 전용 열화상 카메라

Fotric 226B



FOTRIC
— Thermal Intelligence —




FOTRIC 226B


AI 알고리즘 적용 열화상카메라

EFFICIENT | PRECISE | STABLE

정확한 온도 측정




자동 얼굴 인식 기능




내장된 AI dual-light face detection algorithm 을 통해 100% 얼굴 인식함

외부온도 자동 보정 기능



AI Calibration Mode OFF



AI Calibration Mode ON


변하는 외부 온도를 자동으로 측정하여 실제 온도로 환산하여 표현하는 기능

FOTRIC
—Thermal Intelligence—



FOTRIC 226B
COST-EFFECTIVE, SAFE AND EASY TO MAINTAIN


Suggest Indoor Maintenance



FOTRIC 226B 은 사용자의 동선 고려시 0.8M에서 3.2M 거리에서 가장 안정적으로 측정될 수 있도록 최적화 시켜두었습니다.

FOTRIC
—Thermal Intelligence—

Outdoor Maintenance



주의:

외부에서의 설치는 날씨의 변화에 따라 측정 결과가 영향을 많이 받을 수 있으므로 권장하지 않습니다. 그러나 이러한 부분을 인지하더라도 외부에 설치할 수 밖에 없는 상황에서는 차광막을 설치하고 관리자가 보다 심여를 기울여 모니터링을 하실 것을 권해드립니다.

FOTRIC
—Thermal Intelligence—

Fotric 226B Main Specs

Model	FOTRIC 226B
IR Resolution	384 × 288 pixels
Thermal Sensitivity (NETD)	<0.05°C@30°C
Field of View (FOV)	28°H × 21°V
Detector Type	Polysillicon-FPA, uncooled microbolometer, 17µm, Spectral Range 8-14µm
Frame Rate	50Hz
Temperature Range	20°C-60°C (68°F-140°F)
Temperature Stability	±0.5°C
Alarm Function	Both color alarm and sound alarm
Image Format	Standard JPEG with temperature data
Software	FREE, WLIR Body Temperature Screening Software
Operating Temperature	0°C-40°C (32°F-104°F)
Storage Temperature	-20°C-50°C (-4°F-122°F)
Enclosure Rating	IP40